

# Cresto, Core Single-Web 1505

## Fall arrest lanyard 1505

- Single fall arrest lanyard
- No Hook or carabiner
- 20 mm webbing



EN 355 : 2002

### Product description

A single fall arrest lanyard provides secure protection when working on skylifts and scaffolding. Energy Single-web has the same functions as Energy Twin-web except that it has only one webbing and one hook instead of two. Energy Single-web is manufactured as a tube with internal core. At the beginning of the webbing there is an external absorber mounted which is released in case of a fall and catches you. Tested and approved for users up to 100 kg. The cover on the absorber can easily be replaced if it becomes dirty or damaged to ensure that the rope underneath is protected in the best way. the bag make it easy to carry out an annual inspection according to EN 365. The lanyard is delivered without hooks.

### Product properties

|                                      |                       |
|--------------------------------------|-----------------------|
| Brand                                | Cresto                |
| Attaching connector 1                | No Carabiner          |
| Attaching connector 2                | No Hook               |
| Minimum breaking strength - MBS (kN) | 15                    |
| Energy absorber                      | Yes                   |
| Fall indicator                       | Yes                   |
| Maximum load (kg)                    | 100                   |
| Min/Max load (kg)                    | 40/100                |
| Maximum number of users              | 1                     |
| Mechanics                            | Tear-webbing absorber |
| Maximum working temperature (c)      | 100                   |
| Minimum working temperature (c)      | -40                   |

|                           |                                                                              |
|---------------------------|------------------------------------------------------------------------------|
| PPE-category              | Category 3                                                                   |
| Declaration of Conformity | Yes                                                                          |
| EN-standard               | EN 355 : 2002                                                                |
| Warranty                  | 2+1 year when registered in Inspector                                        |
| Identification            | Serial number                                                                |
| Annual inspection         | Yes, every 12 months                                                         |
| Life span                 | 10 + 2 years. Product lifecycle 10 years + 2 years stock keeping             |
| Notified body             | 1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic |
| RFID                      | No                                                                           |

Article information

| Article number | Article name     | Colors | Net weight (kg) |
|----------------|------------------|--------|-----------------|
| 012203754      | Core, Single-Web | Black  | 0.4             |

| Article number | Article name     | GTIN          | Tariff number | UNSPSC Code | Country of origin |
|----------------|------------------|---------------|---------------|-------------|-------------------|
| 012203754      | Core, Single-Web | 7350015791220 | 56090000      | 46182302    | Slovakia          |