

KONEKT I1C2G

Konekt Hook

- 11 mm
- Sewn loops with snaphook

EN 354 : 2010

EN 795 : 2012 Type B



Product description

With a thickness of 11 mm and sewn loops. Its durable polyamide core sheath rope material makes it robust and suitable for industrial service and rope work. And can be combined with openable rope lock's. See the rope lock manual.

Product properties

Brand	Safe Time
Adjustable under load	No
Attaching connector 1	Snaphook
Attaching connector 2	Sewn loop
Energy absorber	No
Fall indicator	No
Material	Galvanized steel, Polyamide
Maximum number of users	1
Rope	11 mm
PPE-category	Category 3
Declaration of Conformity	Yes
EN-standard	EN 354 : 2010, EN 795 : 2012 Type B
Warranty	2 year
Identification	Serial number
Annual inspection	Yes, every 12 months

Life span 10 years

Notified body 1019, VVUU, a.S., Pikartská 1337/7 716 07 Ostrava - Radvanice Czech Republic

RFID No

Article information

Article number	Article name	Colors	H(cm)	Net weight (kg)
ARI1C2G-15	KONEKT Hook, 15 M	Black	1500	1.293

Article number	Article name	GTIN	Tariff number	UNSPSC Code	Country of origin
ARI1C2G-15	KONEKT Hook, 15 M	7350015791008	56090000	46182302	Slovakia

Article number	Article name	Packaging type	Gross weight (kg)	Pieces / Pack
ARI1C2G-15	KONEKT Hook, 15 M	Plastic pack	1.293	1