

# Cresto, Single-Edge 1503

## Fall arrest lanyard 1503

- No Hooks
- Edge tested 11,5 mm polyamide rope



EN 355 : 2002

PPE-R/11.074, V3

### Product description

A fall arrest lanyard with rope that is tested and approved for users up to 100 kg. The 12 mm thick rope makes it enduring. The fall arrester is located in an openable bag to make it easier to carry out an annual inspection in accordance with EN 365. The product is suitable for work where the user does not need to reconnect. Tested and approved with fall over edge.

### Product properties

Brand	Cresto
Adjustable under load	No
Attaching connector 1	No Carabiner
Attaching connector 2	No Hook
Minimum breaking strength - MBS (kN)	15
Energy absorber	Yes
Fall indicator	Yes
Material	Polyamide
Maximum load (kg)	100
Min/Max load (kg)	40/100
Maximum number of users	1
Mechanics	Tear-webbing absorber
Maximum working temperature (c)	100
Minimum working temperature (c)	-40

Rope	11,5 mm rope
PPE-category	Category 3
Declaration of Conformity	Yes
EN-standard	EN 355 : 2002, PPE-R/11.074, V3
Warranty	2+1 year when registered in Inspector
Identification	Serial number
Annual inspection	Yes, every 12 months
Life span	10 + 2 years. Product lifecycle 10 years + 2 years stock keeping
Notified body	1019, VVUU, a.S., Pikartska 1337/7 716 07 Ostrava - Radvanice Czech Republic
RFID	Yes

**Article information**

<b>Article number</b>	<b>Article name</b>	<b>Colors</b>	<b>Net weight (kg)</b>
012203732	Cresto, Single-Edge, ( No hooks )	Black/Grey	0.32

<b>Article number</b>	<b>Article name</b>	<b>GTIN</b>	<b>Tariff number</b>	<b>UNSPSC Code</b>	<b>Country of origin</b>
012203732	Cresto, Single-Edge, ( No hooks )	7350015791176	56090000	46182302	Slovakia

<b>Article number</b>	<b>Article name</b>	<b>Packaging type</b>	<b>W(cm)</b>	<b>H(cm)</b>	<b>L(cm)</b>	<b>Pieces / Pack</b>
012203732	Cresto, Single-Edge, ( No hooks )	Carton	11	22	22	1