

# Smartline X Vacuum

## Evacuation equipment

- Compact rescue equipment
- Always with you
- Can be installed on harness

EN 341 : 2011



## Product description

Smartline X kit is developed especially for pole and tower workers but can also be used for most evacuations and rescues for heights up to 25 meters. Smartline X, with its great capacity, although in small size and low weight, enables you always to carry it on your harness for your safety. Smartline X is a small, manually controlled descent device for evacuation. It can also thanks to the special shackle easily be configured for lifting a person shorter distances in a rescue. The precision put into the details of this product is extraordinary. The line used in the device is made out of Aramide, which has fantastic durability. The cooling plates on the side make sure to keep the device and rope from overheating. Packed and sealed in RESQ's proven vacuum prolongs the total lifetime of the product, ensures function and condition at the same time as the inspection cost are reduced. The Smartline X is certified to the PPE Regulation and in accordance with the EN 341 standard for one time use. Material shortages due to the pandemic have resulted in the need for Cresto Group to periodically and temporarily replace certain components on our products with replacement components fulfilling the same function. Due to this, the product images may differ from that which is delivered.

## Product properties

Brand	RESQ
Adjustable under load	Yes
Attaching connector 1	Device: Aluminum carabiner tri-lock
Attaching connector 2	Rope/absorber: Aluminum carabiner tri-lock
Descent speed (m/s)	0,5-2
Energy absorber	Yes
Fall indicator	No
Functions	Descend function
Gate opening (mm)	20
Lifting mechanics	Method 1:3

Material	Nylon, Aluminum , Aramid
Maximum descent	200 meter
Maximum load (kg)	140
Maximum number of users	1
Maximum rope length (m)	200
Mechanics	Friction b rake
Minimum load (kg)	60
Maximum working temperature (c)	50
Minimum working temperature (c)	-25
Packaging type	Vacuum
Rope	Aramid 5,5mm, 16 twill braid coreless construction
PPE-category	Category 3
Declaration of Conformity	Yes
EN-standard	EN 341 : 2011
Warranty	2 year
Identification	Serial number
Annual inspection	Yes, every 12 months
Life span	10 years
Notified body	0200, FORCE Certification A/S, Main office, Park Allé 345, DK-2605 Brøndby, Denmark
RFID	Yes

**Article information**

<b>Article number</b>	<b>Article name</b>	<b>Colors</b>	<b>W(cm)</b>	<b>H(cm)</b>	<b>L(cm)</b>	<b>Net weight (kg)</b>
012230128	RESQ, Smartline X Vacuum, 15m	Black	9.5	14	15.5	0.8
012230129	RESQ, Smartline X Vacuum, 25m	Black	9.5	14	15.5	1.4

<b>Article number</b>	<b>Article name</b>	<b>GTIN</b>	<b>Tariff number</b>	<b>UNSPSC Code</b>	<b>Country of origin</b>
012230128	RESQ, Smartline X Vacuum, 15m	7350015799066	84253900	46182312	Slovakia
012230129	RESQ, Smartline X Vacuum, 25m	7350015799073	84253900	46182312	Slovakia

<b>Article number</b>	<b>Article name</b>	<b>Packaging type</b>	<b>W(cm)</b>	<b>H(cm)</b>	<b>L(cm)</b>	<b>Gross weight (kg)</b>
012230128	RESQ, Smartline X Vacuum, 15m	Bag	0	0	0	0.82
012230129	RESQ, Smartline X Vacuum, 25m	Bag	0	0	0	1.42